材料及工程實驗室-台北

試驗報告

報告號碼：HV-08-00061X
頁　　數：1　OF　2
日　　期：97 年 01 月 15 日

南亞塑膠工業股份有限公司
台北市敦化北路 201 號 台塑大樓(三部)

我們依照客戶的要求，根據客戶提供的產品敘述如下：
樣品名稱：　南亞防火彩妝板
取樣者：　南亞塑膠工業股份有限公司(許銘峯)

我們依照客戶的要求，根據客戶送交之樣品進行試驗結果如下：
試驗項目：(依照客戶提供之測試規格進行試驗，詳細內容請參照附頁。)
耐化學性試驗

試驗結果：

-如附頁-

試驗日期：　97 年 01 月 07 日~97 年 01 月 15 日

Signed for and on behalf of SGS Taiwan Ltd.

張繼文
副理

This Test Report is issued by the Company subject to its General Conditions of Service printed overleaf or available on request and accessible at www.sgs.com. Attention is drawn to the limitations of liability, indemnification and jurisdictional issues defined therein. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law. 此報告是遵循本公司訂定之通用服務條款所製作發放，請注意此條款列印於背面，亦可在www.sgs.com中查閱。將本公司之義務，免責，管轄權皆明確規範之。除非另有說明，此報告結果僅對檢驗之樣品負責。本報告未經本公司書面許可，不可部份複製。對本報告內容或外觀之任何未經授權之變更、偽造、竄改皆屬非法，違犯者將會被依法追訴。

TW5928959

1009

SGS Taiwan Ltd.
台灣檢驗科技股份有限公司
No. 33, No. 35, Wu Chyuan Road, Wuku Industrial Zone, Taipei County, Taiwan./台北縣五股工業區五權路33號,35號
t (886-2) 2298-3355　f (886-2) 2299-7857　www.tw.sgs.com

材料及工程實驗室-台北

試 驗 報 告

報告號碼：HV-08-00061X
頁　　數：2　OF　2
日　　期：97 年 01 月 15 日

耐化學性試驗

實驗室環境條件：

環境溫度：　23±2℃
相對濕度：　50±5%RH

試驗方法/ 規格：

ASTM D1308-02el Standard Test Method for Effect of Household Chemicals on Clear and Pigmented Organic Finishes (Immersion)

試驗溶液：　5%醋酸溶液
試驗時間：　24 小時
試驗溫度：　23±2℃

試驗結果：

酸浸漬試驗無異常

樣品照片：



— The End of Test Report —

This Test Report is issued by the Company subject to its General Conditions of Service printed overleaf or available on request and accessible at www.sgs.com. Attention is drawn to the limitations of liability, indemnification and jurisdictional issues defined therein. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law. 此報告是遵循本公司訂定之通用服務條款所製作發放，請注意此條款列印於背面，亦可在www.sgs.com中查閱。將本公司之義務，免責，管轄權皆明確規範之。除非另有說明，此報告結果僅對檢驗之樣品負責。本報告未經本公司書面許可，不可部份複製。對本報告內容或外觀之任何未經授權之變更、偽造、竄改皆屬非法，違犯者將會被依法追訴。

TW 5929267

1009

SGS Taiwan Ltd.
台灣檢驗科技股份有限公司
No. 33, No. 35, Wu Chyuan Road, Wuku Industrial Zone, Taipei County, Taiwan./台北縣五股工業區五權路33號,35號
t (886-2) 2298-3355　f (886-2) 2299-7857　www.tw.sgs.com

Member of SGS Group

材料及工程實驗室-台北

試驗報告

報告號碼：HV-08-00062X
頁　　數：1　OF　2
日　　期：97 年 01 月 15 日

南亞塑膠工業股份有限公司
台北市敦化北路 201 號 台塑大樓(三部)

我們依照客戶的要求，根據客戶提供的產品敘述如下：
樣品名稱：　南亞防火彩妝板
取樣者：　南亞塑膠工業股份有限公司(許銘峯)

我們依照客戶的要求，根據客戶送交之樣品進行試驗結果如下：
試驗項目：(依照客戶提供之測試規格進行試驗，詳細內容請參照附頁。)
耐化學性試驗

試驗結果：

-如附頁-

試驗日期：　97 年 01 月 07 日~97 年 01 月 15 日

Signed for and on behalf of
SGS Taiwan Ltd.

張繼文
副理

This Test Report is issued by the Company subject to its General Conditions of Service printed overleaf or available on request and accessible at www.sgs.com. Attention is drawn to the limitations of liability, indemnification and jurisdictional issues defined therein. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law. 此報告是遵循本公司訂定之通用服務條款所製作發放，請注意此條款列印於背面，亦可在www.sgs.com中查閱。將本公司之義務，免責，管轄權皆明確規範之。除非另有說明，此報告結果僅對檢驗之樣品負責。本報告未經本公司書面許可，不可部份複製。對本報告內容或外觀之任何未經授權之變更、偽造、竄改皆屬非法，違犯者將會被依法追訴。

TW 5928966

1009

SGS Taiwan Ltd.
台灣檢驗科技股份有限公司
No. 33, No. 35, Wu Chyuan Road, Wuku Industrial Zone, Taipei County, Taiwan./台北縣五股工業區五權路33號,35號
t (886-2) 2298-3355　f (886-2) 2299-7857　www.tw.sgs.com
Member of SGS Group

材料及工程實驗室-台北

試 驗 報 告

報告號碼：HV-08-00062X
頁　　數：2　OF　2
日　　期：97 年 01 月 15 日

耐化學性試驗

實驗室環境條件：

環境溫度：　23±2℃
相對濕度：　50±5%RH

試驗方法/ 規格：

ASTM D1308-02el Standard Test Method for Effect of Household Chemicals on Clear and Pigmented Organic Finishes (Immersion)

試驗溶液：　礦油
試驗時間：　24 小時
試驗溫度：　23±2℃

試驗結果：

浸漬試驗無異常

樣品照片：



— The End of Test Report —

This Test Report is issued by the Company subject to its General Conditions of Service printed overleaf or available on request and accessible at www.sgs.com. Attention is drawn to the limitations of liability, indemnification and jurisdictional issues defined therein. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law. 此報告是遵循本公司訂定之通用服務條款所製作發放，請注意此條款列印於背面，亦可在www.sgs.com中查閱。將本公司之義務，免責，管轄權皆明確規範之。除非另有說明，此報告結果僅對檢驗之樣品負責。本報告未經本公司書面許可，不可部份複製。對本報告內容或外觀之任何未經授權之變更、偽造、竄改皆屬非法，違犯者將會被依法追訴。

TW5929268

1009

SGS Taiwan Ltd.
台灣檢驗科技股份有限公司
No. 33, No. 35, Wu Chyuan Road, Wuku Industrial Zone, Taipei County, Taiwan./台北縣五股工業區五權路33號,35號
t (886-2) 2298-3355　f (886-2) 2299-7857　www.tw.sgs.com
Member of SGS Group

材料及工程實驗室-台北

試 驗 報 告

報告號碼：HV-08-00064X
頁　　數：1　OF　2
日　　期：97 年 01 月 15 日

南亞塑膠工業股份有限公司
台北市敦化北路 201 號 台塑大樓(三部)

我們依照客戶的要求，根據客戶提供的產品敘述如下：

樣品名稱：　南亞防火彩妝板

取樣者：　南亞塑膠工業股份有限公司(許銘峯)

我們依照客戶的要求，根據客戶送交之樣品進行試驗結果如下：

試驗項目：(依照客戶提供之測試規格進行試驗，詳細內容請參照附頁。)
耐化學性試驗

試驗結果：

-如附頁-

試驗日期：　97 年 01 月 07 日~97 年 01 月 15 日

Signed for and on behalf of SGS Taiwan Ltd.

張繼文
副理

This Test Report is issued by the Company subject to its General Conditions of Service printed overleaf or available on request and accessible at www.sgs.com. Attention is drawn to the limitations of liability, indemnification and jurisdictional issues defined therein. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law. 此報告是遵循本公司訂定之通用服務條款所製作發放，請注意此條款列印於背面，亦可在www.sgs.com中查閱。將本公司之義務，免責，管轄權皆明確規範之。除非另有說明，此報告結果僅對檢驗之樣品負責。本報告未經本公司書面許可，不可部份複製。對本報告內容或外觀之任何未經授權之變更、偽造、竄改皆屬非法，違犯者將會被依法追訴。

TW 5928955

1009

SGS Taiwan Ltd.
台灣檢驗科技股份有限公司
No. 33, No. 35, Wu Chyuan Road, Wuku Industrial Zone, Taipei County, Taiwan./台北縣五股工業區五權路33號,35號
t (886-2) 2298-3355　f (886-2) 2299-7857　www.tw.sgs.com
Member of SGS Group

材料及工程實驗室-台北

試 驗 報 告

報告號碼：HV-08-00064X
頁　　數：2　OF　2
日　　期：97 年 01 月 15 日

耐化學性試驗

實驗室環境條件：

環境溫度：　23±2℃
相對濕度：　50±5%RH

試驗方法/ 規格：

ASTM D1308-02el Standard Test Method for Effect of Household Chemicals on Clear and Pigmented Organic Finishes (Immersion)

試驗溶液：　5%鹽酸溶液
試驗時間：　24 小時
試驗溫度：　23±2℃

試驗結果：

酸浸漬試驗無異常

樣品照片：



— The End of Test Report —

This Test Report is issued by the Company subject to its General Conditions of Service printed overleaf or available on request and accessible at www.sgs.com. Attention is drawn to the limitations of liability, indemnification and jurisdictional issues defined therein. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law. 此報告是遵循本公司訂定之通用服務條款所製作發放，請注意此條款列印於背面，亦可在www.sgs.com中查閱。將本公司之義務，免責，管轄權皆明確規範之。除非另有說明，此報告結果僅對檢驗之樣品負責。本報告未經本公司書面許可，不可部份複製。對本報告內容或外觀之任何未經授權之變更、偽造、竄改皆屬非法，違犯者將會被依法追訴。

TW 5929299

SGS Taiwan Ltd.
台灣檢驗科技股份有限公司
No. 33, No. 35, Wu Chyuan Road, Wuku Industrial Zone, Taipei County, Taiwan./台北縣五股工業區五權路33號,35號
t (886-2) 2298-3355　f (886-2) 2299-7857　www.tw.sgs.com
Member of SGS Group

1009

材料及工程實驗室-台北

試驗報告

報告號碼：HV-08-00065X
頁　　數：1　OF　2
日　　期：97 年 01 月 15 日

南亞塑膠工業股份有限公司
台北市敦化北路 201 號 台塑大樓(三部)

我們依照客戶的要求，根據客戶提供的產品敘述如下：
樣品名稱：　南亞防火彩妝板
取樣者：　南亞塑膠工業股份有限公司(許銘峯)

我們依照客戶的要求，根據客戶送交之樣品進行試驗結果如下：
試驗項目：(依照客戶提供之測試規格進行試驗，詳細內容請參照附頁。)
耐化學性試驗

試驗結果：

-如附頁-

試驗日期：　97 年 01 月 07 日~97 年 01 月 15 日

Signed for and on behalf of SGS Taiwan Ltd.

張繼文
副理

This Test Report is issued by the Company subject to its General Conditions of Service printed overleaf or available on request and accessible at www.sgs.com. Attention is drawn to the limitations of liability, indemnification and jurisdictional issues defined therein. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law. 此報告是遵循本公司訂定之通用服務條款所製作發放，請注意此條款列印於背面，亦可在www.sgs.com中查閱。將本公司之義務，免責，管轄權皆明確規範之。除非另有說明，此報告結果僅對檢驗之樣品負責。本報告未經本公司書面許可，不可部份複製。對本報告內容或外觀之任何未經授權之變更、偽造、竄改皆屬非法，違犯者將會被依法追訴。

TW 5928940

1009

SGS Taiwan Ltd.
台灣檢驗科技股份有限公司
No. 33, No. 35, Wu Chyuan Road, Wuku Industrial Zone, Taipei County, Taiwan./台北縣五股工業區五權路33號,35號
t (886-2) 2298-3355　f (886-2) 2299-7857　www.tw.sgs.com
Member of SGS Group

材料及工程實驗室-台北

試 驗 報 告

報告號碼：HV-08-00065X
頁　　數：2　OF　2
日　　期：97 年 01 月 15 日

耐化學性試驗

實驗室環境條件：

環境溫度：　23±2℃
相對濕度：　50±5%RH

試驗方法/ 規格：

ASTM D1308-02el Standard Test Method for Effect of Household Chemicals on Clear and Pigmented Organic Finishes (Immersion)

試驗溶液：　5%硫酸溶液
試驗時間：　24 小時
試驗溫度：　23±2℃

試驗結果：

酸浸漬試驗無異常

樣品照片：



— The End of Test Report —

This Test Report is issued by the Company subject to its General Conditions of Service printed overleaf or available on request and accessible at www.sgs.com. Attention is drawn to the limitations of liability, indemnification and jurisdictional issues defined therein. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law. 此報告是遵循本公司訂定之通用服務條款所製作發放，請注意此條款列印於背面，亦可在www.sgs.com中查閱。將本公司之義務，免責，管轄權皆明確規範之。除非另有說明，此報告結果僅對檢驗之樣品負責。本報告未經本公司書面許可，不可部份複製。對本報告內容或外觀之任何未經授權之變更、偽造、竄改皆屬非法，違犯者將會被依法追訴。

TW5929271

1009

SGS Taiwan Ltd.
台灣檢驗科技股份有限公司
No. 33, No. 35, Wu Chyuan Road, Wuku Industrial Zone, Taipei County, Taiwan./台北縣五股工業區五權路33號,35號
t (886-2) 2298-3355　f (886-2) 2299-7857　www.tw.sgs.com

Member of SGS Group

材料及工程實驗室-台北

試驗報告

報告號碼：HV-08-00066X
頁　　數：1　OF　2
日　　期：97 年 01 月 15 日

南亞塑膠工業股份有限公司
台北市敦化北路 201 號 台塑大樓(三部)

我們依照客戶的要求，根據客戶提供的產品敘述如下：

樣品名稱：　南亞防火彩妝板
取樣者：　南亞塑膠工業股份有限公司(許銘峯)

我們依照客戶的要求，根據客戶送交之樣品進行試驗結果如下：

試驗項目：(依照客戶提供之測試規格進行試驗，詳細內容請參照附頁。)
耐化學性試驗

試驗結果：

-如附頁-

試驗日期：　97 年 01 月 07 日~97 年 01 月 15 日

Signed for and on behalf of SGS Taiwan Ltd.

張繼文
副理

This Test Report is issued by the Company subject to its General Conditions of Service printed overleaf or available on request and accessible at www.sgs.com. Attention is drawn to the limitations of liability, indemnification and jurisdictional issues defined therein. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law. 此報告是遵循本公司訂定之通用服務條款所製作發放，請注意此條款列印於背面，亦可在www.sgs.com中查閱。將本公司之義務，免責，管轄權皆明確規範之。除非另有說明，此報告結果僅對檢驗之樣品負責。本報告未經本公司書面許可，不可部份複製。對本報告內容或外觀之任何未經授權之變更、偽造、竄改皆屬非法，違犯者將會被依法追訴。

TW5928938

1009

SGS Taiwan Ltd.
台灣檢驗科技股份有限公司
No. 33, No. 35, Wu Chyuan Road, Wuku Industrial Zone, Taipei County, Taiwan./台北縣五股工業區五權路33號,35號
t (886-2) 2298-3355　f (886-2) 2299-7857　www.tw.sgs.com
Member of SGS Group

材料及工程實驗室-台北

試 驗 報 告

報告號碼：HV-08-00066X
頁　　數：2　OF　2
日　　期：97 年 01 月 15 日

耐化學性試驗

實驗室環境條件：

環境溫度：　23±2℃
相對濕度：　50±5%RH

試驗方法/ 規格：

ASTM D1308-02el Standard Test Method for Effect of Household Chemicals on Clear and Pigmented Organic Finishes (Immersion)

試驗溶液：　5%氨水
試驗時間：　24 小時
試驗溫度：　23±2℃

試驗結果：

浸漬試驗無異常

樣品照片：



— The End of Test Report —

This Test Report is issued by the Company subject to its General Conditions of Service printed overleaf or available on request and accessible at www.sgs.com. Attention is drawn to the limitations of liability, indemnification and jurisdictional issues defined therein. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law. 此報告是遵循本公司訂定之通用服務條款所製作發放，請注意此條款列印於背面，亦可在www.sgs.com中查閱。將本公司之義務，免責，管轄權皆明確規範之。除非另有說明，此報告結果僅對檢驗之樣品負責。本報告未經本公司書面許可，不可部份複製。對本報告內容或外觀之任何未經授權之變更、偽造、竄改皆屬非法，違犯者將會被依法追訴。

TW5929272

1009

SGS Taiwan Ltd.
台灣檢驗科技股份有限公司
No. 33, No. 35, Wu Chyuan Road, Wuku Industrial Zone, Taipei County, Taiwan./台北縣五股工業區五權路33號,35號
t (886-2) 2298-3355　f (886-2) 2299-7857　www.tw.sgs.com

材料及工程實驗室-台北

試驗報告

報告號碼：HV-08-00067X
頁　　數：1　OF　2
日　　期：97 年 01 月 15 日

南亞塑膠工業股份有限公司
台北市敦化北路 201 號 台塑大樓(三部)

我們依照客戶的要求，根據客戶提供的產品敘述如下：
樣品名稱：　南亞防火彩妝板
取樣者：　南亞塑膠工業股份有限公司(許銘峯)

我們依照客戶的要求，根據客戶送交之樣品進行試驗結果如下：
試驗項目：(依照客戶提供之測試規格進行試驗，詳細內容請參照附頁。)
耐化學性試驗

試驗結果：

-如附頁-

試驗日期：　97 年 01 月 07 日~97 年 01 月 15 日

Signed for and on behalf of SGS Taiwan Ltd.

張繼文
副理

This Test Report is issued by the Company subject to its General Conditions of Service printed overleaf or available on request and accessible at www.sgs.com. Attention is drawn to the limitations of liability, indemnification and jurisdictional issues defined therein. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law. 此報告是遵循本公司訂定之通用服務條款所製作發放，請注意此條款列印於背面，亦可在www.sgs.com中查閱。將本公司之義務，免責，管轄權皆明確規範之。除非另有說明，此報告結果僅對檢驗之樣品負責。本報告未經本公司書面許可，不可部份複製。對本報告內容或外觀之任何未經授權之變更、偽造、竄改皆屬非法，違犯者將會被依法追訴。

TW5928936

1009

SGS Taiwan Ltd.
台灣檢驗科技股份有限公司
No. 33, No. 35, Wu Chyuan Road, Wuku Industrial Zone, Taipei County, Taiwan./台北縣五股工業區五權路33號,35號
t (886-2) 2298-3355　f (886-2) 2299-7857　www.tw.sgs.com

材料及工程實驗室-台北

試 驗 報 告

報告號碼：HV-08-00067X
頁　　數：2　OF　2
日　　期：97 年 01 月 15 日

耐化學性試驗

實驗室環境條件：

環境溫度：　23±2℃
相對濕度：　50±5%RH

試驗方法/ 規格：

ASTM D1308-02el Standard Test Method for Effect of Household Chemicals on Clear and Pigmented Organic Finishes (Immersion)

試驗溶液：　5%次氯酸鈉
試驗時間：　24 小時
試驗溫度：　23±2℃

試驗結果：

浸漬試驗無異常

樣品照片：



— The End of Test Report —

This Test Report is issued by the Company subject to its General Conditions of Service printed overleaf or available on request and accessible at www.sgs.com. Attention is drawn to the limitations of liability, indemnification and jurisdictional issues defined therein. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law. 此報告是遵循本公司訂定之通用服務條款所製作發放，請注意此條款列印於背面，亦可在www.sgs.com中查閱。將本公司之義務，免責，管轄權皆明確規範之。除非另有說明，此報告結果僅對檢驗之樣品負責。本報告未經本公司書面許可，不可部份複製。對本報告內容或外觀之任何未經授權之變更、偽造、竄改皆屬非法，違犯者將會被依法追訴。

TW5929273

SGS Taiwan Ltd.
台灣檢驗科技股份有限公司
No. 33, No. 35, Wu Chyuan Road, Wuku Industrial Zone, Taipei County, Taiwan./台北縣五股工業區五權路33號,35號
t (886-2) 2298-3355　f (886-2) 2299-7857　www.tw.sgs.com
Member of SGS Group

1009

材料及工程實驗室-台北

試驗報告

報告號碼：HV-08-00068X
頁　　數：1　OF　2
日　　期：97 年 01 月 15 日

南亞塑膠工業股份有限公司
台北市敦化北路 201 號 台塑大樓(三部)

我們依照客戶的要求，根據客戶提供的產品敘述如下：
樣品名稱：　南亞防火彩妝板
取樣者：　南亞塑膠工業股份有限公司(許銘峯)

我們依照客戶的要求，根據客戶送交之樣品進行試驗結果如下：
試驗項目：(依照客戶提供之測試規格進行試驗，詳細內容請參照附頁。)
耐化學性試驗

試驗結果：

-如附頁-

試驗日期：　97 年 01 月 07 日~97 年 01 月 15 日

Signed for and on behalf of SGS Taiwan Ltd.

張繼文
副理

This Test Report is issued by the Company subject to its General Conditions of Service printed overleaf or available on request and accessible at www.sgs.com. Attention is drawn to the limitations of liability, indemnification and jurisdictional issues defined therein. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law. 此報告是遵循本公司訂定之通用服務條款所製作發放，請注意此條款列印於背面，亦可在www.sgs.com中查閱。將本公司之義務，免責，管轄權皆明確規範之。除非另有說明，此報告結果僅對檢驗之樣品負責。本報告未經本公司書面許可，不可部份複製。對本報告內容或外觀之任何未經授權之變更、偽造、竄改皆屬非法，違犯者將會被依法追訴。

TW 5928934

1009

SGS Taiwan Ltd.
台灣檢驗科技股份有限公司
No. 33, No. 35, Wu Chyuan Road, Wuku Industrial Zone, Taipei County, Taiwan./台北縣五股工業區五權路33號,35號
t (886-2) 2298-3355　f (886-2) 2299-7857　www.tw.sgs.com
Member of SGS Group

材料及工程實驗室-台北

試 驗 報 告

報告號碼：HV-08-00068X
頁　　數：2　OF　2
日　　期：97 年 01 月 15 日

耐化學性試驗

實驗室環境條件：

環境溫度：　23±2℃
相對濕度：　50±5%RH

試驗方法/ 規格：

ASTM D1308-02el Standard Test Method for Effect of Household Chemicals on Clear and Pigmented Organic Finishes (Immersion)

試驗溶液：　橄欖油
試驗時間：　24 小時
試驗溫度：　23±2℃

試驗結果：

浸漬試驗無異常

樣品照片：



— The End of Test Report —

This Test Report is issued by the Company subject to its General Conditions of Service printed overleaf or available on request and accessible at www.sgs.com. Attention is drawn to the limitations of liability, indemnification and jurisdictional issues defined therein. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law. 此報告是遵循本公司訂定之通用服務條款所製作發放，請注意此條款列印於背面，亦可在www.sgs.com中查閱。將本公司之義務，免責，管轄權皆明確規範之。除非另有說明，此報告結果僅對檢驗之樣品負責。本報告未經本公司書面許可，不可部份複製。對本報告內容或外觀之任何未經授權之變更、偽造、竄改皆屬非法，違犯者將會被依法追訴。

TW5929274

1009

SGS Taiwan Ltd.
台灣檢驗科技股份有限公司
No. 33, No. 35, Wu Chyuan Road, Wuku Industrial Zone, Taipei County, Taiwan./台北縣五股工業區五權路33號,35號
t (886-2) 2298-3355　f (886-2) 2299-7857　www.tw.sgs.com
Member of SGS Group

材料及工程實驗室-台北

試 驗 報 告

報告號碼：HV-08-00069X
頁　　數：1　OF　2
日　　期：97 年 01 月 15 日

南亞塑膠工業股份有限公司
台北市敦化北路 201 號 台塑大樓(三部)

我們依照客戶的要求，根據客戶提供的產品敘述如下：
樣品名稱：　南亞防火彩妝板
取樣者：　南亞塑膠工業股份有限公司(許銘峯)

我們依照客戶的要求，根據客戶送交之樣品進行試驗結果如下：
試驗項目：(依照客戶提供之測試規格進行試驗，詳細內容請參照附頁。)
耐化學性試驗

試驗結果：

-如附頁-

試驗日期：　97 年 01 月 07 日~97 年 01 月 15 日

Signed for and on behalf of SGS Taiwan Ltd.

張繼文
副理

This Test Report is issued by the Company subject to its General Conditions of Service printed overleaf or available on request and accessible at www.sgs.com. Attention is drawn to the limitations of liability, indemnification and jurisdictional issues defined therein. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law. 此報告是遵循本公司訂定之通用服務條款所製作發放，請注意此條款列印於背面，亦可在www.sgs.com中查閱。將本公司之義務，免責，管轄權皆明確規範之。除非另有說明，此報告結果僅對檢驗之樣品負責。本報告未經本公司書面許可，不可部份複製。對本報告內容或外觀之任何未經授權之變更、偽造、竄改皆屬非法，違犯者將會被依法追訴。

TW5928932

1009

SGS Taiwan Ltd.
台灣檢驗科技股份有限公司
No. 33, No. 35, Wu Chyuan Road, Wuku Industrial Zone, Taipei County, Taiwan./台北縣五股工業區五權路33號,35號
t (886-2) 2298-3355　f (886-2) 2299-7857　www.tw.sgs.com
Member of SGS Group

材料及工程實驗室-台北

試 驗 報 告

報告號碼：HV-08-00069X
頁　　數：2　OF　2
日　　期：97 年 01 月 15 日

耐化學性試驗

實驗室環境條件：

環境溫度：　23±2℃
相對濕度：　50±5%RH

試驗方法/ 規格：

ASTM D1308-02el Standard Test Method for Effect of Household Chemicals on Clear and Pigmented Organic Finishes (Immersion)

試驗溶液：　煤油
試驗時間：　24 小時
試驗溫度：　23±2℃

試驗結果：

浸漬試驗無異常

樣品照片：



— The End of Test Report —

This Test Report is issued by the Company subject to its General Conditions of Service printed overleaf or available on request and accessible at www.sgs.com. Attention is drawn to the limitations of liability, indemnification and jurisdictional issues defined therein. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law. 此報告是遵循本公司訂定之通用服務條款所製作發放，請注意此條款列印於背面，亦可在www.sgs.com中查閱。將本公司之義務，免責，管轄權皆明確規範之。除非另有說明，此報告結果僅對檢驗之樣品負責。本報告未經本公司書面許可，不可部份複製。對本報告內容或外觀之任何未經授權之變更、偽造、竄改皆屬非法，違犯者將會被依法追訴。

TW5929275

SGS Taiwan Ltd.
台灣檢驗科技股份有限公司
No. 33, No. 35, Wu Chyuan Road, Wuku Industrial Zone, Taipei County, Taiwan./台北縣五股工業區五權路33號,35號
t (886-2) 2298-3355　f (886-2) 2299-7857　www.tw.sgs.com

Member of SGS Group

1009

材料及工程實驗室-台北

試驗報告

報告號碼：HV-08-00070X
頁　　數：1　OF　2
日　　期：97 年 01 月 15 日

南亞塑膠工業股份有限公司
台北市敦化北路 201 號 台塑大樓(三部)

我們依照客戶的要求，根據客戶提供的產品敘述如下：
樣品名稱：　南亞防火彩妝板
取樣者：　南亞塑膠工業股份有限公司(許銘峯)

我們依照客戶的要求，根據客戶送交之樣品進行試驗結果如下：
試驗項目：(依照客戶提供之測試規格進行試驗，詳細內容請參照附頁。)
耐化學性試驗

試驗結果：

-如附頁-

試驗日期：　97 年 01 月 07 日~97 年 01 月 15 日

Signed for and on behalf of
SGS Taiwan Ltd.

張繼文
副理

This Test Report is issued by the Company subject to its General Conditions of Service printed overleaf or available on request and accessible at www.sgs.com. Attention is drawn to the limitations of liability, indemnification and jurisdictional issues defined therein. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law. 此報告是遵循本公司訂定之通用服務條款所製作發放，請注意此條款列印於背面，亦可在www.sgs.com中查閱。將本公司之義務，免責，管轄權皆明確規範之。除非另有說明，此報告結果僅對檢驗之樣品負責。本報告未經本公司書面許可，不可部份複製。對本報告內容或外觀之任何未經授權之變更、偽造、竄改皆屬非法，違犯者將會被依法追訴。

TW5928930

1009

SGS Taiwan Ltd.
台灣檢驗科技股份有限公司
No. 33, No. 35, Wu Chyuan Road, Wuku Industrial Zone, Taipei County, Taiwan./台北縣五股工業區五權路33號,35號
t (886-2) 2298-3355　f (886-2) 2299-7857　www.tw.sgs.com
Member of SGS Group

材料及工程實驗室-台北

試 驗 報 告

報告號碼：HV-08-00070X
頁　　數：2　OF　2
日　　期：97 年 01 月 15 日

耐化學性試驗

實驗室環境條件：

環境溫度：　23±2℃
相對濕度：　50±5%RH

試驗方法/ 規格：

ASTM D1308-02el Standard Test Method for Effect of Household Chemicals on Clear and Pigmented Organic Finishes (Immersion)

試驗溶液：　92 無鉛汽油
試驗時間：　24 小時
試驗溫度：　23±2℃

試驗結果：

浸漬試驗無異常

樣品照片：



— The End of Test Report —

This Test Report is issued by the Company subject to its General Conditions of Service printed overleaf or available on request and accessible at www.sgs.com. Attention is drawn to the limitations of liability, indemnification and jurisdictional issues defined therein. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law. 此報告是遵循本公司訂定之通用服務條款所製作發放，請注意此條款列印於背面，亦可在www.sgs.com中查閱。將本公司之義務，免責，管轄權皆明確規範之。除非另有說明，此報告結果僅對檢驗之樣品負責。本報告未經本公司書面許可，不可部份複製。對本報告內容或外觀之任何未經授權之變更、偽造、竄改皆屬非法，違犯者將會被依法追訴。

TW5929300

SGS Taiwan Ltd.
台灣檢驗科技股份有限公司
No. 33, No. 35, Wu Chyuan Road, Wuku Industrial Zone, Taipei County, Taiwan./台北縣五股工業區五權路33號,35號
t (886-2) 2298-3355　f (886-2) 2299-7857　www.tw.sgs.com
Member of SGS Group

1009